L Number	Hits	Search Text	DB	Time stamp
70	225	((@ad < "20010430") and (((("24" adj bit)	USPAT;	2004/08/20 15:30
		((three "3") near bytes)) near3 ((data	US-PGPUB;	
		instruction) adj bus)))and microprocessor)	EPO; JPO;	
			DERWENT;	
		•	IBM_TDB	
71	152	((@ad < "20010430") and (((("24" adj bit)	USPAT;	2004/08/20 16:03
		((three "3") near bytes)) near ((data	US-PGPUB;	. ¥
		instruction) adj bus)))and microprocessor)	EPO; JPO;	
	0.		DERWENT;	
ļ			IBM_TDB	0004/00/00 15 40
72	3	(((@ad < "20010430") and (((("24" adj bit)	USPAT;	2004/08/20 15:48
		((three "3") near bytes)) near ((data	US-PGPUB;	
		instruction) adj bus)))and microprocessor))	EPO; JPO; DERWENT;	
		and (((three "3") near byte) near2	IBM TDB	
	1.2	instruction)	USPAT;	2004/08/20 15:56
73	13	(((@ad < "20010430") and (((("24" adj bit) ((three "3") near bytes)) near3 ((data	US-PGPUB;	2004/00/20 13:30
		instruction) adj bus)))and microprocessor))	EPO; JPO;	
		and (((three "3") near byte) near2	DERWENT;	
		instruction)	IBM TDB	
7.4	12	(((@ad < "20010430") and (((("24" adj bit)	USPAT;	2004/08/20 15:57
74	13	((three "3") near bytes)) near3 ((data	US-PGPUB;	2301,00,20 13.31
		instruction) adj bus)))and microprocessor))	EPO; JPO;	
		and ((((three "3") near byte)	DERWENT;	<u> </u>
		(US-5442769-A.DID. adj bit)) near2	IBM TDB	
		instruction)	12122	
75	6	(@ad < "20010430") and (("24" adj bit) adj	USPAT;	2004/08/20 16:03
		microprocessor)	US-PGPUB;	
i		,	EPO; JPO;	
		*	DERWENT;	
			IBM TDB	
_	305	((((711/201,202,212,219).CCLS.) and column)	USPAT;	2003/03/20 19:20
		and @ad < "20010430") and (add\$3	US-PGPUB;	
		increment\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	212	((((711/201,202,212,219).CCLS.) and column)	USPAT;	2004/08/18 17:34
		and @ad < "20010430") and ((add\$3	US-PGPUB;	
		increment\$3) with address)	EPO; JPO;	
			DERWENT;	
-			IBM_TDB	2022/22/20 10 10
-	4317	(365/230.01,230.03).CCLS.	USPAT;	2003/03/20 19:19
			US-PGPUB;	
		·	EPO; JPO; DERWENT;	
			IBM TDB	
<u>.</u>	4064	((365/230.01,230.03).CCLS.) and @ad	USPAT;	2003/03/20 19:20
	4004	<20010430	US-PGPUB;	2003/03/20 13.20
		(20010430	EPO; JPO;	
			DERWENT;	
			IBM TDB	
<u>-</u>	917	(((365/230.01,230.03).CCLS.) and @ad	USPAT;	2003/03/20 19:20
		<pre><20010430) and ((add\$3 increment\$3) with</pre>	US-PGPUB;	
		address)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	654	((((365/230.01,230.03).CCLS.) and @ad	USPAT;	2003/03/20 19:20
		<pre><20010430) and ((add\$3 increment\$3) with</pre>	US-PGPUB;	
		address)) and column	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1440	(711/201,202,212,219).CCLS.	USPAT;	2003/06/16 08:53
		·	US-PGPUB;	
	1		EPO; JPO;	
		·	DERWENT;	
		/////	IBM_TDB	2002/05/15 22 5:
-	111	((((((711/201,202,212,219).CCLS.) and column)	USPAT;	2003/06/16 08:54
		and @ad < "20010430") and ((add\$3	US-PGPUB;	
		increment\$3) with address)) and multiplex\$3	EPO; JPO;	
			DERWENT;	
i	1		IBM_TDB	1

_	367	(((711/201,202,212,219).CCLS.) and column)	USPAT;	2003/06/16 09:00
		and @ad < "20010430"	US-PGPUB;	1
ļ			EPO; JPO;	
			DERWENT;	,
]			IBM_TDB	
l _	84	((((((711/201,202,212,219).CCLS.) and	USPAT;	2003/06/16 09:07
		column) and @ad < "20010430") and ((add\$3	US-PGPUB;	
		<pre>increment\$3) with address)) and multiplex\$3)</pre>	EPO; JPO;	
		and (parallel simultaneous)	DERWENT;	
		and (pararrer simple si	IBM TDB	
	350	(((((365/230.01,230.03).CCLS.) and @ad	USPAT;	2003/06/16 09:11
-	330	<pre><20010430) and ((add\$3 increment\$3) with</pre>	US-PGPUB;	
1		address)) and column) and multiplex\$3	EPO; JPO;	
		addless), and column, and materpress	DERWENT;	
			IBM TDB	1
		(F10 /010 00F) GGT G	USPAT;	2004/08/18 16:39
-	621	(712/210,205).CCLS.	US-PGPUB;	2001/00/10 10:33
			EPO; JPO;	ł
	1			
			DERWENT;	
			IBM_TDB	2004/00/10 16-44
-	65	(((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 16:44
		and (instruction with (three near2 bytes))	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
		a a	IBM_TDB	
_	57	(((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 16:46
		and (instruction with (three near2 bytes))	US-PGPUB;	
		and (instruction with (two near2 bytes)) and	EPO; JPO;	
		(instruction with ((one "1" single) near2	DERWENT;	
		byte))	IBM TDB	
_	42	•	USPAT;	2004/08/18 16:56
		and (instruction with (three near bytes))	US-PGPUB;	
		and (instruction with (two near bytes)) and	EPO; JPO;	
		(instruction with ((one "1" single) near	DERWENT;	
		byte))	IBM TDB	
		1	USPAT;	2004/08/18 17:26
-	0	and ((instruction with (three near bytes))	US-PGPUB;	2001, 00, 10 1, 120
		and ((instruction with (three hear bytes))	EPO; JPO;	ĺ.
		with ((single one) near2 fetch)) and		
		(instruction with (two near bytes)) and	DERWENT;	
		(instruction with ((one "1" single) near	IBM_TDB	
	*	byte))	TIODAE	2004/08/18 16:55
-	0		USPAT;	2004/08/18 10:55
		and ((instruction with (three near bytes))	US-PGPUB;	
		with fetch) and (instruction with (two near	EPO; JPO;	
		bytes)) and (instruction with ((one "1"	DERWENT;	
,		single) near byte))	IBM_TDB	2004/00/30 35 55
-	0		USPAT;	2004/08/18 16:55
		and ((instruction near3 (three near bytes))	US-PGPUB;	
		with fetch) and (instruction with (two near	EPO; JPO;	
		bytes)) and (instruction with ((one "1"	DERWENT;	
		single) near byte))	IBM_TDB	
-	, 2	(((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 16:55
		and ((instruction near3 (three near bytes))	US-PGPUB;	
		same fetch) and (instruction with (two near	EPO; JPO;	
		bytes)) and (instruction with ((one "1"	DERWENT;	
		single) near byte))	IBM_TDB	
_	33	(((712/210,205), CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 16:57
		and (instruction with (three near bytes))	US-PGPUB;	
		and (instruction with (two near bytes)) and	EPO; JPO;	
		(instruction with ((one "1" single) near	DERWENT;	
		byte)) and (instruction with fetch)	IBM TDB	
_	3	1 7	USPAT;	2004/08/18 17:27
		((single one) near2 fetch)) and (instruction	US-PGPUB;	l ' '
		with (two near bytes)) and (instruction with	EPO; JPO;	
	1	((one "1" single) near byte))	DERWENT;	
		((OHE I SINGLE) HEAT DYCE//	IBM TDB	
	_	((instruction with (three near bytes)) with	USPAT;	2004/08/18 17:28
-	5	(fetch)) and (instruction with (two near	US-PGPUB;	2004,00,10 17.20
		bytes)) and (instruction with (two hear bytes)) and (instruction with ((one "1"	EPO; JPO;	
		Dytes// and (Instruction with (lone "1"	DERWENT;	
		single) near byte))		1
1	1		IBM_TDB	

US-PGPUB; EPO; JPO; DERWENT; IBM TDB	4/08/18 17:33
EPO; JPO; DERWENT; IBM_TDB	•
DERWENT; IBM_TDB	
IBM_TDB	
1 1 - 1	
1 = 1 Fig. 1/712/210 2051 CCLS 1 and instruction INSPAT: 1/200	/ /
305 ((/ 12 / 42 0 / 20 3 / 10 0 20 0 / 4 11 11 11 11 11 11 11 11 11 11 11 11 1	4/08/18 17:34
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	4/08/18 17:38
1 33 (\(\/\frac{12}{210}\/\frac{203}{203}\). CCDB: / G.:G. \(\frac{12}{2100}\frac{12}{203}\).	4/00/10 17:30
((three "3") near bytes)) US-PGPUB; EPO; JPO;	
DERWENT;	
IBM TDB	
	04/08/18 17:37
((three "3") near bytes))) and @ad US-PGPUB;	1,00,10 1,10.
"20010430" EPO; JPO;	
DERWENT;	
IBM TDB	
	4/08/18 17:38
((three "3") near bytes))) and @ad < US-PGPUB;	
"20010430" EPO; JPO;	
DERWENT;	
IBM_TDB	
0 (((/11/201/212/213/700000)	04/08/18 17:49
and (instruction near ((three "3") near US-PGPUB;	
bytes))	
DERWENT;	
IBM_TDB	04/08/18 18:30
2 op 1030010	14/08/18 18:30
US-PGPUB; EPO; JPO;	
DERWENT;	
IBM TDB	
	04/08/18 18:35
with ((single one) near4 cycle)) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
	04/08/18 18:35
US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM_TDB	
	04/08/18 18:44
and ((three near byte) with instruction) US-PGPUB; EPO; JPO;	
DERWENT;	
IBM TDB	
	04/08/18 18:36
and ((three near byte) with instruction)) US-PGPUB;	
and @ad < "20010430" EPO; JPO;	
DERWENT;	
IBM_TDB	
0 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	04/08/18 18:46
and (embedded with memory) US-PGPUB;	
EPO; JPO;	
DERWENT;	•
IBM_TDB	04/00/10 10 35
8 (((rom prom (one near time near program\$5)) USPAT; 200 with instruction) same column) and (embedded US-PGPUB;	04/08/18 19:35
with memory) EPO; JPO; DERWENT;	
IBM TDB	
	04/08/18 19:36
US-PGPUB;	, , == =====
EPO; JPO;	
\ DERWENT;	
IBM_TDB	

				12212222
-	146	((712/37).CCLS.) and @ad < "20010430"	USPAT;	2004/08/18 19:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	/ /
-	535	((712/210,205).CCLS.) and @ad < "20010430"	USPAT;	2004/08/18 19:45
		<u>,</u>	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	İ		IBM_TDB	
_	173	(((712/210,205).CCLS.) and @ad < "20010430")	USPAT;	2004/08/18 19:48
		and ((rom prom micro) with instruction)	US-PGPUB;	
		-	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	36	((((712/210,205).CCLS.) and @ad <	USPAT;	2004/08/19 13:59
		"20010430") and ((rom prom micro) with	US-PGPUB;	
		instruction)) and ((single one "1") with	EPO; JPO;	
		cycle with fetch)	DERWENT;	
		•	IBM_TDB	
_	10	((((712/210,205).CCLS.) and @ad <	USPAT;	2004/08/19 18:30
		"20010430") and ((rom prom micro) with	US-PGPUB;	
ļ		instruction)) and ((("24" adj bit) ((three	EPO; JPO;	
		"3") near bytes)) near3 bus)	DERWENT;	
		-	IBM_TDB	
_	180	((@ad < "20010430") and ((rom prom micro)	USPAT;	2004/08/19 18:34
		with instruction)) and ((("24" adj bit)	US-PGPUB;	
		((three "3") near bytes)) near3 bus)	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
_	121	(((@ad < "20010430") and ((rom prom micro)	USPAT;	2004/08/19 18:31
· · · · · · · · · · · · · · · · · · ·	2	with instruction)) and ((("24" adj bit)	-US-PGPUB;	
		((three "3") near bytes)) near3 bus)) and	EPO; JPO;	
		microprocessor	DERWENT;	
		_	IBM_TDB	
-	77		USPAT;	2004/08/19 18:35
		with instruction)) and (((("24" adj bit)	US-PGPUB;	
		((three "3") near bytes)) near3 bus) with	EPO; JPO;	
		(data instruction)) and microprocessor	DERWENT;	
			IBM_TDB	
-	44	((@ad < "20010430") and ((rom prom micro)	USPAT;	2004/08/20 15:29
		with instruction)) and (((("24" adj bit)	US-PGPUB;	
		((three "3") near bytes)) near3 ((data	EPO; JPO;	1
		instruction) adj bus)))and microprocessor	DERWENT;	
			IBM_TDB	